



Lincoln ATS 50 Combination Sweeper / Scrubber

Battery Electric Model

Greener. Cleaner.

Large operator compartment with ClearView™ sightlines increases comfort, safety and effectiveness

Extended runtime on one single charge

Heavy-gauge industrial steel unibody frame (optional)

Available with patented DustGuard™ airborne dust suppression technology (optional)



Optional dual-tank Ecoflex™ system provides the most flexible cleaning solution for industrial applications

High-capacity 284 litres corrosion-proof solution and recovery tanks

1245 mm pivoting scrub deck with 100 mm retracable offset for edge scrubbing effectiveness and protection from impact damage

Brushes, brooms and squeegee can be replaced without tools

Standard dual side brushes sweep entire squeegee path to minimize fouling

With an extended runtime on a single charge, the ATS 48 Battery Electric Model offers a new, low noise, emission-free green solution for facilities once deemed too large to utilise a battery-powered sweeper / scrubber.



Specification — Battery Electric Model

Technical Specifications	
	ATS 50 Battery
MOTOR BRAND	-
MOTOR SOURCE	Battery
MOTOR TYPE	36 V
SCRUBBING WIDTH (MM)	1245
SWEEPING WIDTH (MM)	1540
MAX TRANSPORTATION SPEED (KM/H)	8,9
WORKING SPEED (KM/H)	5,6
MAX CLIMBING RATE (%)	21
MAX WORKING CLIMBING RATE (%)	17,6
PRODUCTIVITY RATE THEORETICAL /PRACTICAL (M2/H)	11080/7756
SOLUTION /RECOVERY TANK (L)	284
WATER FLOW (L/MIN)	3,8-11,36
SQUEEGEE WIDTH (MM)	1350
BRUSH PRESSURE (KG)	90-127-182
BRUSH SIZE (MM)	430
BRUSHES/PADS QTY.	3
HOPPER CAPACITY (L)	198
MAIN FILTER AREA (M2)	10,7
MAIN BROOM LXW (MM)	900x310
SIDE BROOM (MM)	381
SOUND PRESSURE LEVEL (dB(A))	72
MIN.TURN AROUND AISLE WIDTH - R/L (CM)	259/264
LENGHTXWIDTHXHEIGHT (CM)	262x122x150
GROSS VEHICLE WEIGHT (KG)	2593
WEIGHT - EMPTY (KG)	2124



HIRE - SALES - SERVICE - PARTS